

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L1 | 116266 | search\$3 near4 (database\$3 data information docuemnt\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| L2 | 36532 | (input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| L3 | 9105 | (search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| L4 | 66 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| L5 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differnt near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L6 | 66 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L7 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L8 | 4 | (((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)) and (((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L9 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L10 | 286 | synonym\$4 near4 (word\$3 keyword\$4) near5 (tabl\$4 list\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L11 | 6 | L10 same (invert\$4 near5 index\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L12 | 80 | (search\$3 near4 (database\$3 data information docuemnt\$3)) and (((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L13 | 80 | (search\$3 near4 (database\$3 data information docuemnt\$3)) and (((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L14 | 32 | ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and ((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L15 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differrnt near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| L16 | 9 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 different near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| L17 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differrnt near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:08 |
| L18 | 3 | bi-direction\$4 near5 dictionary near5 (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:08 |
| L19 | 9 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 different near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:08 |
| L20 | 2 | bi-direction\$4 near5 synonym near5 (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:09 |
| L21 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:09 |
| S1 | 95661 | search\$3 near4 (database\$3 data information docuemnt\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| S2 | 30056 | (input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| S3 | 7240 | (search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S4 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:09 |
| S5 | 51 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| S6 | 109 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:33 |
| S7 | 143 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:07 |
| S8 | 2 | (((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)) and ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| S9 | 78 | (((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)) and ((convert\$4 translat\$4) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:08 |
| S10 | 4253 | (input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 (translat\$4 convert\$4) near5 languag\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:29 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S11 | 787 | (search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 (translat\$4 convert\$4) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:29 |
| S12 | 43 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 (translat\$4 convert\$4) near5 languag\$4)) and (((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:29 |
| S13 | 166 | (search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:37 |
| S14 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:05 |
| S15 | 0 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differnt near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:08 |
| S16 | 9 | ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 different near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:08 |
| S17 | 1066 | ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:37 |
| S18 | 30 | ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:38 |

| | | | | | | |
|-----|---------|---|---|----|----|------------------|
| S19 | 30 | ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and ((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| S20 | 345 | ((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 15:41 |
| S21 | 54 | (search\$3 near4 (database\$3 data information documnt\$3)) and ((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |
| S22 | 1771 | bi-direction\$4 near5 (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:06 |
| S23 | 2 | bi-direction\$4 near5 synonym near5 (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:09 |
| S24 | 2 | bi-direction\$4 near5 synonym near9 (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:06 |
| S25 | 2 | bi-direction\$4 near5 synonym same (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:07 |
| S26 | 2639920 | bi-direction\$4 near5 dictionary (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:07 |
| S27 | 2 | bi-direction\$4 near5 dictionary near5 (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:08 |
| S28 | 5 | bi-direction\$4 near5 languag\$4 near5 (conver\$4 translat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:30 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S29 | 2 | "5136505".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:30 |
| S30 | 2 | "5136505".pn. and (search\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:32 |
| S31 | 2 | "5956711".pn. and (search\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/18 16:32 |
| S32 | 104 | search\$4 near5 (multi\$4 near5 languag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/31 10:57 |
| S33 | 272 | synonym\$4 near4 (word\$3 keyword\$4) near5 (tabl\$4 list\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/31 10:59 |
| S34 | 6 | S33 same (invert\$4 near5 index\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 15:06 |